

Recent Updates (Gamma-X, SLAC work, MDC, etc.)


Jonathan Nikoleyczik

Summer in review

- “Finished” Gamma-X studies
 - More on this next
- Built Gas test and Phase 2 clean rooms
 - Gas test clean hood is currently in use
 - Phase 2 clean room is assembled but not cleaned
- Participated in MDC1
 - Calculated the electron lifetime for 30 days of simulated data which will hopefully look similar to real LZ data
 -

Thermosyphon lines

Replaced thermosyphon lines (marked in red) to make room for new Phase 1 breakout



Clean rooms



Gas test hood




Phase 2
cleanroom








MDC 1

Day 1




Day 30



MDC 1 Electron Lifetime


Electron lifetime (μs) as a function of time



Gamma-X

Wrote code to calculate the expected rate of Gamma-X events from the PMT windows.

Produced plots like the one on the right which show a large number of events in the WIMP search region (the left side of the red region)



Previous Gamma-X Results

Higher than all combined
LZ backgrounds

Source	Decays Simulated	Fraction which produce Gamma-X (all)	Fraction in WIMP search region (Depending on S1 S2 cut)	Approximate rate (assuming production from PMT windows and no cuts)
Th-232	14,900,000	0.012887 192507 Events	$\sim 4.0 \times 10^{-7}$	0.24 events per year
U-238	4,150,000	0.013739 57094 Events	$\sim 1.2 \times 10^{-6}$	3.83 events per year
Co-60	9,800,000	0.080683 790704 Events	$\sim 4.0 \times 10^{-7}$	0 (No Co60 in PMT windows)
K-40	9,400,000	0.004208 39559 Events	$< 1.0 \times 10^{-7}$	< 0.13 events per year

Comparing Apples to Apples


All of the LZ backgrounds are summarized in the backgrounds control table which follows a very specific procedure to generate background rates.

I was doing something similar but not exactly the same.


To see how well my rates compare with the total rates I modified the control table to work with gamma-x events.

Source	Mass (g/unit)	Mass (g)	Activity (mBq/kg)	Livetime equivalent	# beamOn	# beamOn E-scaled	# Surv. All	R-factor	Surviving 1000 days	Events Per year
U early (y)	38.0	9158	13.21	1.39E+01	1.00E+07	1.45E+08	17.00	1.68E-08	1.75E-01	6.41E-02
U late (y)	38.0	9158	0.75	2.43E+02	1.00E+07	1.45E+08	17.00	1.17E-07	6.98E-02	2.55E-02
Th (y)	38.0	9158	1.01	1.85E+02	1.02E+07	1.48E+08	36.00	2.43E-07	1.94E-01	7.09E-02

Gamma-X Plots With New TDRAnalysis Method




Old Method




New Method

Gamma-X Plots With New TDRAnalysis Method W/ Cuts



Old Method



New Method