# Recent Updates (Gamma-X, SLAC work, MDC, etc.)

Jonathan Nikoleyczik

Today's update starts on slide 31

#### Summer in review


- "Finished" Gamma-X studies
  - More on this next.
- Built Gas test and Phase 2 clean rooms
  - Gas test clean hood is currently in use
  - Phase 2 clean room is assembled but not cleaned
- Participated in MDC1
  - Calculated the electron lifetime for 30 days of simulated data which will hopefully look similar to real LZ data

0

# Thermosyphon lines



Replaced thermosyphon lines (marked in red) to make room for new Phase 1 breakout



#### Clean rooms




Gas test hood



Phase 2 cleanroom




#### MDC 1



#### MDC 1 Electron Lifetime


#### Electron lifetime (µs) as a function of time



#### Gamma-X

Wrote code to calculate the expected rate of Gamma-X events from the PMT windows.

Produced plots like the one on the right which show a large number of events in the WIMP search region (the left side of the red region)



#### Previous Gamma-X Results

Higher than all combined LZ backgrounds

Source	Decays Simulated	Fraction which produce Gamma-X (all)	Fraction in WIMP search region (Depending on S1 scut)	S2	Approximate rate (assuming production from PMT windows and <b>no cuts</b> )
Th-232	14,900,000	0.012887 192507 Events	~ 4.0x10 <sup>-7</sup>		0.24 events per year
U-238	4,150,000	0.013739 57094 Events	~1.2x10 <sup>-6</sup>		3.83 events per year
Co-60	9,800,000	0.080683 790704 Events	~4.0x10 <sup>-7</sup>		0 (No Co60 in PMT windows)
K-40	9,400,000	0.004208 39559 Events	< 1.0x10 <sup>-7</sup>		< 0.13 events per year

#### Comparing Apples to Apples


All of the LZ backgrounds are summarized in the backgrounds control table which follows a very specific procedure to generate background rates.

I was doing something similar but not exactly the same.


To see how well my rates compare with the total rates I modified the control table to work with gamma-x events.


Source	Mass (g/unit )	Mass (g)	Activit y (mBq/ kg)	Livetime equivalent	# beamOn	# beamOn E-scaled	# Surv. All	R-factor	Surviving 1000 days	Events Per year
U early (γ)	38.0	9158	13.21	1.39E+01	1.00E+07	1.45E+08	17.00	1.68E-08	1.75E-01	6.41E-02
U late (γ)	38.0	9158	0.75	2.43E+02	1.00E+07	1.45E+08	17.00	1.17E-07	6.98E-02	2.55E-02
Th (γ)	38.0	9158	1.01	1.85E+02	1.02E+07	1.48E+08	36.00	2.43E-07	1.94E-01	7.09E-02 <sub>9</sub>

## Gamma-X Plots With New TDRAnalysis Method




#### Gamma-X Plots With New TDRAnalysis Method W/ Cuts






# Latest Gamma-X Update

Plots shown last week were only "normal" events



## TDR vs. My Cuts

- The TDR Analysis assumes that when ER events are produced that only ER events are seen.
  With that assumption it can make a more rough cut on S1 and S2.
  This only works for normal events, but not Gamma-X events.
- I will use all 4 cuts to be able to compare my rate to the TDR as well as provide a more accurate estimate of the rate



#### Fall 2017 Plan

#### Gamma-X

- Continue to improve and compare the Gamma-X result with those of others
- Look for Gamma-X events in the MDC 1 data then see if there is some way to discriminate against them.

#### Cable making

Will soon begin clearing out the server room

#### Phase 1 Data Analysis

Assist with the Phase 1 analysis in run 7

#### Cameras

 Possibly work on cameras that would be able to run in cold gas or liquid xenon. These would likely need to be different than those used in Phase 2.


#### Gamma-X rates

I ran the TDR Analysis which outputs whether or not an event is a Gamma-X


I did the same thing for a few sources (Full PMTs, Bottom Grid, Anode Grid, Cathode Grid, Field Rings, and Vessels)

Compare the rates expected after making the three different energy cuts (the TDR ER cut, libNEST ER band cut, libNEST NR band cut)


## Gamma X Update




#### Full PMTs with no cuts



## Lines in Energy





Lines in energy deposition correspond to Xenon energy levels. Not sure why this is happening. I would not have expected the energy depositions to be so discrete.

Type of Events	Energy Cut	Events per 1000 days	Fraction of all events that are Gamma-X	BG Table Rate (per 1000 days)	Difference between my results and BG table
	TDR ROI	16.80	0.14%	1.46	1055%
Normal Events	My ER ROI	15.36	0.00%		954%
	My NR ROI	2.14	9.87%		63%
	TDR ROI	0.02			
Gamma-X Events	My ER ROI	0.00			
	My NR ROI	0.23			

## Gamma-X rates Anode Grid (including all cuts)

Type of Events	Energy Cut	Events per 1000 days	Fraction of all events that are Gamma-X	BG Table Rate (per 1000 days)	Difference between my results and BG table
	TDR ROI	0.50	0.00%	Not Calculated	Not Calculated
Normal Events	My ER ROI	0.46	0.00%		Not Calculated
	My NR ROI	0.06	0.00%		Not Calculated
	TDR ROI	0.00			
Gamma-X Events	My ER ROI	0.00			
	My NR ROI	0.00			

## Gamma-X rates Bottom Grid (including all cuts)

Type of Events	Energy Cut	Events per 1000 days	Fraction of all events that are Gamma-X	BG Table Rate (per 1000 days)	Difference between my results and BG table
	TDR ROI	0.132	4.84%	Not Calculated	Not Calculated
Normal Events	My ER ROI	0.105	4.39%		Not Calculated
	My NR ROI	0.015	42.62%		Not Calculated
	TDR ROI	0.007			
Gamma-X Events	My ER ROI	0.005			
	My NR ROI	0.011			


#### The problem with BACCARAT


I had been using an outdated version of BACCARAT (1.2.3) and the most recent version (2.4.0) appears to have changed some properties at low energies.

Instead of rerunning the sims local I used the latest results for the backgrounds review which were run using BACCARAT 2.4.0 and reduced using TDRAnalysis 5.3.0 Note that these sims only include:

- Conduit Feedthrough
- HV conduit
- PMTs (Focused on these so far)
- PTFE Walls
- Vessels

#### The Difference Between 1.2.3 and 2.4.0 Energy Dep






My output: BACC 1.2.3 and TDR  $\sim$ 5.2.1 (slightly modified), libNEST 3.0.2 Get same results using TDR 5.3.0, libNEST 4.2.0


PDSF output: BACC 2.4.0 and TDR 5.3.0, libNEST 4.2.0

#### The Difference Between 1.2.3 and 2.4.0 S1

ROOT Object Browser

Browser File Edit View Options Tools






My output: BACC 1.2.3 and TDR ~5.2.1 (slightly modified), libNEST 3.0.2 Get same results using TDR 5.3.0, libNEST 4.2.0

PDSF output: BACC 2.4.0 and TDR 5.3.0, libNEST 4.2.0

@ @


#### The Difference Between 1.2.3 and 2.4.0 Normal Events




My output: BACC 1.2.3 and TDR  $\sim$ 5.2.1 (slightly modified), libNEST 3.0.2 Get same results using TDR 5.3.0, libNEST 4.2.0

PDSF output: BACC 2.4.0 and TDR 5.3.0, libNEST 4.2.0

#### The Difference Between 1.2.3 and 2.4.0 Gamma-X Events



NO CUTS



My output: BACC 1.2.3 and TDR ~5.2.1 (slightly modified), libNEST 3.0.2 Get same results using TDR 5.3.0, libNEST 4.2.0

PDSF output: BACC 2.4.0 and TDR 5.3.0, libNEST 4.2.0

Type of Events	Energy Cut	Events per 1000 days	Fraction of all events that are Gamma-X	BG Table Rate (per 1000 days)	Difference between my results and BG table
	TDR ROI	0.06	0.00%	1.46	-96%
Normal Events	My ER ROI	0.14	0.00%		-90%
	My NR ROI	0.02	0.00%		-99%
	TDR ROI	0.00			
Gamma-X Events	My ER ROI	0.00			
	My NR ROI	0.00			

Type of Events	Energy Cut	Events per 1000 days	Fraction of all events that are Gamma-X	BG Table Rate (per 1000 days)	Difference between my results and BG table
	TDR ROI	0.06	0.00%	1.46	-96%
Normal My ER RO		0.14	0.00%		-90%
	My NR ROI	0.02	0.00%		-99%
	TDR ROI	0.00	There was one K40 every NE		
Gamma-X Events	My ER ROI	0.00	got classified by my NF (within the 90% bands	for	
	My NR ROI	0.00	libNEST NR energy de	posits)	

Type of Events	Energy Cut	Events per 1000 days	Fraction of all events that are Gamma-X	BG Table Rate (per 1000 days)	Difference between my results and BG table
	TDR ROI	0.06	0.00%	1.46	-96%
Normal Events	My ER ROI	0.14	0.00%		-90%
	My NR ROI	0.02	0.00%		-99%
	TDR ROI	0.00			
Gamma-X Events	My ER ROI	0.00	No Gamma-X e	•	
	My NR ROI	0.00	But Gamma-X of all events		

Type of Events	Energy Cut	Events per 1000 days	Fraction of all events that are Gamma-X	events that are (per 1000 days)		ween BG	
	TDR ROI	0.06	0.00%	1.46		-96%	
Normal Events	My ER ROI	0.14	0.00%			-90%	
	My NR ROI	0.02	0.00%			-99%	
	TDR ROI	0.00				]	
Gamma-X Events	My ER ROI	0.00	My numbers are ~10% lower than the backgrounds control table but many sims saw				
	My NR ROI	0.00		s all cuts. If we use umbers are only ~5			

# Backup (Raw Data)

Simulation name	N files	N beamOn	ROI	+SS	+Skin	+OD	+Skin+OD	+5.6t FV	U_early	U_late	R-factor
2.4.0_tpc_pmts_Th232_NormalTDRROI	3.94E+02	3.94E+08	49395	49162	41455	36039	30694	7			1.22E-09
2.4.0_tpc_pmts_Th232_NormalMyERROI	3.94E+02	3.94E+08	133593	132756	114674	98664	86065	15			2.62E-09
2.4.0_tpc_pmts_Th232_NormalMyNRROI	3.94E+02	3.94E+08	7563	7557	6300	5507	4628	0			0.00E+00
2.4.0_tpc_pmts_Th232_GammaXTDRROI	3.94E+02	3.94E+08	6	6	1	6	1	0			0.00E+00
2.4.0_tpc_pmts_Th232_GammaXMyERROI	3.94E+02	3.94E+08	10	10	1	10	1	0			0.00E+00
2.4.0_tpc_pmts_Th232_GammaXMyNRROI	3.94E+02	3.94E+08	8	8	0	6	0	0			0.00E+00
2.4.0_tpc_pmts_U238_NormalTDRROI	3.78E+02	3.78E+08	40593	40399	34040	30650	26220	3	0	3	5.46E-10
2.4.0_tpc_pmts_U238_NormalMyERROI	3.78E+02	3.78E+08	108202	107428	92691	82066	71792	10	0	10	1.82E-09
2.4.0_tpc_pmts_U238_NormalMyNRROI	3.78E+02	3.78E+08	6323	6322	5308	4845	4129	0	0	0	0.00E+00
2.4.0_tpc_pmts_U238_GammaXTDRROI	3.78E+02	3.78E+08	0	0	0	0	0	0	0	0	0.00E+00
2.4.0_tpc_pmts_U238_GammaXMyERROI	3.78E+02	3.78E+08	3	3	0	3	0	0	0	0	0.00E+00
2.4.0_tpc_pmts_U238_GammaXMyNRROI	3.78E+02	3.78E+08	1	1	0	1	0	0	0	0	0.00E+00
2.4.0_tpc_pmts_K40_NormalTDRROI	4.00E+02	4.00E+08	2378	2376	1893	1868	1462	0			0.00E+00
2.4.0_tpc_pmts_K40_NormalMyERROI	4.00E+02	4.00E+08	6338	6314	5035	5056	3987	0			0.00E+00
2.4.0_tpc_pmts_K40_NormalMyNRROI	4.00E+02	4.00E+08	386	386	322	310	254	1			1.72E-10
2.4.0_tpc_pmts_K40_GammaXTDRROI	4.00E+02	4.00E+08	1	1	0	1	0	0			0.00E+00
2.4.0_tpc_pmts_K40_GammaXMyERROI	4.00E+02	4.00E+08	0	0	0	0	0	0			0.00E+00
2.4.0_tpc_pmts_K40_GammaXMyNRROI	4.00E+02	4.00E+08	2	2	0	2	0	0			0.00E+00
2.4.0_tpc_pmts_Co60_NormalTDRROI	3.97E+02	3.97E+08	25186	25077	17688	9526	6243	3			5.20E-10
2.4.0_tpc_pmts_Co60_NormalMyERROI	3.97E+02	3.97E+08	65342	64941	47499	24706	16947	8			1.39E-09
2.4.0_tpc_pmts_Co60_NormalMyNRROI	3.97E+02	3.97E+08	4066	4066	2838	1588	1031	0			0.00E+00
2.4.0_tpc_pmts_Co60_GammaXTDRROI	3.97E+02	3.97E+08	6	6	0	4	0	0			0.00E+00
2.4.0_tpc_pmts_Co60_GammaXMyERROI	3.97E+02	3.97E+08	10	10	0	9	0	0			0.00E+00
2.4.0_tpc_pmts_Co60_GammaXMyNRROI	3.97E+02	3.97E+08	7	7	0	7	0	0			0.00E+00

#### Gamma-X Update

I was misusing the factor 14. For the backgrounds control table they assume that the ER spectrum is flat from 0 to 100 S1. Even though the WIMP search region is defined up to 20 in S1 they use the full 0 to 100 and scale the number of counts by 14. This gives increased stats.

I was applying the same scaling but it does not apply to Gamma-X events. The factor for Gamma-X should be about 37. Instead of applying the scaling I will live with reduced stats.


# PMT Results (Now without factor of 14)


Type of Events	Energy Cut	Events per 1000 days	Approx. Error	Number of events after cuts	Fraction of all events that are Gamma-X	BG Table Rate (per 1000 days)	Difference between my results and BG table
	TDR ROI	0.8	±0.4	13	0.00%	1.46	55%
Normal Events	My ER ROI	2.0	±0.6	33	0.00%		140%
	My NR ROI	0.3	±0.3	1	0.00%		21%
	TDR ROI	0.0		0			
Gamma- X Events	My ER ROI	0.0		0			
	My NR ROI	0.0		0			

## PTFE Walls Results


Type of Events	Energy Cut	Events per 1000 days	Approx. Error	Number of events after cuts	Fraction of all events that are Gamma-X	BG Table Rate (per 1000 days)	Difference between my results and BG table
	TDR ROI	0.030	±0.007	31	0.00%	0.0558	54%
Normal Events	My ER ROI	0.074	±0.010	56	0.00%		133%
	My NR ROI	0.004	±0.003	4	83.61%		43%
	TDR ROI	0.000		0			
Gamma- X Events	My ER ROI	0.000		0			
	My NR ROI	0.020	±0.008	22			


# PTFE Plots (before cuts)






#### An attempt to quantify distance from ER Band





#### Same data collapsed onto one axis

- Normal Events are gaussian around ER band mean (as expected)
- Gamma-X Events are all below the ER band mean
- The distance from the ER band increases with S1
- Looks like an exponential decrease from the ER band



#### Where Gamma-X events come from (PTFE Walls)

#### **Primary Particle Positions**

- Events must start out close to the cathode
- Fall off exponentially both above and below

