Spring 2018 Group Update

Jonathan Nikoleyczik

Todays update starts on slide 21

Current tasks

- Gamma-X events from calibration sources
 - Simulate LZ calibrations and see how they are impacted by gamma-x events
- Phase 1 optical maps
 - o Improve the speed and accuracy of Phase 1 sims by adding in a map for S2 events
- Phase 1 Run 7 data analysis
- LUX 100T projection sensitivity paper
- LZ scale model

Gamma-X from calibration sources


Possible sources:


- AmLi (AmBe)
- ²⁵²Cf
- ²²⁸Th
- ⁵⁷Co (As a test)


All are CSD sources. Generate them in CSD tubes, located in the vacuum space, at z=0 (cathode)

Table 7.0.1: Baseline calibration sources for LZ.				
Isotope	What	Purpose	Deployment	Custom
Tritium	beta, $Q = 18.6 \text{keV}$	ER band	Internal	N
^{83m} Kr	beta/gamma, 32.1 keV and 9.4 keV	TPC (x, y, z)	Internal	Υ
131mXe	164 keV γ	TPC (x, y, z) , Xe skin	Internal	Y
²²⁰ Rn	various α's	xenon skin	Internal	N
AmLi	(α,n)	NR band	CSD	Y
²⁵² Cf	spontaneous fission	NR efficiency	CSD	N
⁵⁷ Co	122 keV γ	Xe skin threshold	CSD	N
²²⁸ Th	2.615 MeV γ, various others	OD energy scale	CSD	N
²² Na	back-to-back 511 keV γ's	TPC and OD sync	CSD	N
⁸⁸ Y Be	152 keV neutron	low-energy NR response	External	N
²⁰⁵ Bi Be	88.5 keV neutron	low-energy NR response	External	Υ
²⁰⁶ Bi Be	47 keV neutron	low-energy NR response	External	Υ
DD	2,450 keV neutron	NR light and charge yields	External	N
DD	272 keV neutron	NR light and charge yields	External	Y
¹³³ Ba	356 keV gamma	OD and TPC	CSD	N
⁶⁰ Co	1173, 1333 keV gamma	OD, TPC energy scale	CSD	N
¹²⁴ Sb	23 keV neutron	low-energy NR response	External	N


Calibration results (Cf252)







Calibration results (Cf252) Single Scatter and FV cuts



50

Energy (keV)

50

Energy (keV)

50

Energy (keV)

Energy (keV)

25 50

Energy (keV)

50

Energy (keV)

25


Calibration results

- AmLi (AmBe)
 - Only AmBe working in BACCARAT
 - Results are similar to shown for ²⁵²Cf
- ²⁵²Cf
 - Little impact of gamma-x at low energies
 - Potentially 1% gamma-x contribution at higher energies
- ²²⁸Th
 - Events seen are near the walls
 - None are gamma-x
 - Nice ER band S1/S2 spectrum
- ⁵⁷Co
 - o 2/2,000,000 events made it into the liquid
 - Neither of them were gamma-x


Phase 1 optical maps

- Used the scripts from Amy to make maps of ~10 million photons distributed in the liquid xenon for S1s and in the gas for S2s
- Implemented in BACCARAT
- Leaves LZ sims intact and unaffected
- Simply calls the phase 1 map instead if running phase 1 sims

Phase 1 photon maps (S1)




Example of a single PMT




Combined light collection efficiency Avg: 14.8% With QE: ~4.4%

Phase 1 photon maps (S2)





Example of a single PMT




Combined light collection efficiency Avg: 24.7% With QE: ~7.4%


LCE as a function of depth





LCE as a function of radius






Time maps included

Time maps are needed by BaccMCTruth so needed to be simulated separately.

Shown here for S2 events.





Distance from top PMT (mm)

LZ Scale Model

Ready to 3D printing modifications.


Need 3D printer specs to adjust minimum thicknesses, overdraft







Phase 1 Run 7 analysis

- Progress has been slow
- No quick way to transfer data between SLAC and Izlogin
- Have 8 data files from run 7
- Been looking at noise that occurred while the gas test was running
- Right shows the gas test off case






Amplitude Area plot for the two cases




Gas test off




Gas test on

Digitizer noise power


- All fields and PMTs were off
- Only digitizer noise
- See peak at 372 kHz
- Assuming that the data was collected at 250 MHz






Noise Power at different gas test voltages

- Don't see a significant difference between gas test on and off
- Blue, orange and green are all the same voltage in Phase 1 with different voltages in gas test



Quantities vs. Field values

- Plots of RMS amplitude and area, and Mean amplitude and area versus power supply voltage for different channels
- Don't see a strong correlation between gas test voltage and RMS and Mean signals




Gas test voltage

P1 Cathode Voltage



Signals over time


- Stars indicate PMT signal mean and rms values
- Blue line is gas test supply voltage
- Purple line is Phase 1 supply voltage



Time (s)


100 T sensitivity projections

- Plan to put spectra into NEST with LUX data
- Want to focus on major contributors to the background
 - Radon
 - Neutrinos
- These are 75% of LZ backgrounds
- Plan to take NEST output and feed into PLR




Group calendar

- The calendar is a google calendar which means I think you need a google account to view it
- I don't think there is a good way to automatically sync with outlook (sorry)
- I can add your google accounts but I need your email address





Phase 1 Run 7 Analysis

- Trying to correlate Phase 1 rates and noise with the operation of the gas test
- Divided amplitude area plot into different populations
- The rate is more correlated with the total power supply voltage than with the gas test alone
- See no significant noise power difference between gas test on and off





Population rates over time





DAQ rate vs. Gas test voltage







Possibly some correlation between gas test voltage and rate but only in the phase 1 grids on case

DAQ rate vs. PS voltage


- Combines physical expected rate increases (P1 grids on) with gas test voltage increases
- Color corresponds to number of samples at that point
- Outliers at low voltage are older data sets (gas only tests?)



PSD of waveforms PMT off




Averaging over all waveforms Peaks at 150, 830, and 1100 MHz




Combining waveforms

PSD waveforms PMT on



Averaging over all waveforms Peaks at 830, and 1100 MHz Note the change to log scale. This is 1/f^{2.4} noise



Combining waveforms

Gas test on and off has no noticeable effect on PSD from 10³ to 10⁸ Hz